Author-Title Index

Aalto, S., Black, J.H., Johansson, L.E.B., Booth, R.S.: Large $^{12}CO/^{13}CO$ intensity ratios in luminous mergers **249**, 323

Achmad, L., de Jager, C., Nieuwenhuijzen, H.: Atmospheric model parameters and shock wave field for the supergiant alpha Carinae (F0Ib) **249**, 192

Alissandrakis, C.E., Dara, H.C., Koutchmy, S.: Study of small scale magnetic flux and the corresponding velocity pattern **249**, 533

Almleaky, Y.M., see Brown, J.C., et al. **249**, 277

Andreani, P., Dall'Oglio, G., Martinis, L., Piccirillo, L., Pizzo, L., Rossi, L., Venturino, C.: Are the intermediate-scale cosmic background radiation anisotropies constrained by thermal emission of a very cold dust? **249**, 299

Ansbacher, W., see Biémont, E., et al. **249**, 539

Arcoragi, J.-P., Langer, N., Arnould, M.: Neutron capture nucleosynthesis and the evolution of 15 and 30 $M_{\odot}$ mass-losing stars. II. The core carbon-burning phase **249**, 134

Arimoto, N., Jablonka, P.: Evolutionary method of population synthesis for bulge-disc systems: optical-infrared colour-magnitude relation of spiral galaxies **249**, 374

Arnould, M., see Arcoragi, J.-P., et al. **249**, 134

Baglin, A., see Schatzman, E. **249**, 125

Balcells, M.: Interpreting asymmetric line profiles in merger remnants **249**, L9

Ballester, J.L., see Carbonell, M. **249**, 295

Baptista, R., Steiner, J.E.: Accretion disk image reconstructions in V4140 Sgr (NSV 12615) **249**, 284

Barbuy, B., see Ortolani, S., et al. **249**, L31

Bard, A., see Holweger, H., et al. **249**, 545

Baring, M.G.: Signatures of magnetic photon splitting in gamma-ray burst spectra **249**, 581

Barlow, M.J., see Crawford, I.A. **249**, 518

Baudoux, M., see Biémont, E., et al. **249**, 539

Benson, P.J., see Little-Marenin, I.R., et al. **249**, 465

Berruyer, N.: Dust-driven winds. II. Are the grains the real cause of the motion? **249**, 181

Bianchi, L., Hutchings, J.B., Massey, P.: Stellar winds and UV extinction of OB stars in M 33 and M 31 **249**, 14

Bica, E., see Ortolani, S., et al. **249**, L31

Biémont, E., Baudoux, M., Kurucz, R.L., Ansbacher, W., Pinnington, E.H.: The solar abundance of iron: a "final" word! **249**, 539

Black, J.H., see Aalto, S., et al. **249**, 323

Blomme, R., see Hensberge, H., et al. **249**, 401

Boer, M., Hurley, K., Pizzichini, G., Gottardi, M.: New constraints on neutron star models of gamma-ray bursts. II. X-ray observations of three gamma-ray burst error boxes **249**, 118

Boissé, P., see Casoli, F., et al. **249**, 359

Booth, R.S., see Aalto, S., et al. **249**, 323

Borgeest, U., see Kollatschny, W., et al. **249**, 57

Brosch, N., Loinger, F.: Extragalactic dust. IV. NGC 7625 **249**, 327

Brown, J.A., Wallerstein, G., Cunha, K., Smith, V.V.: Oxygen and iron in Omega Centauri giants **249**, L13

Brown, J.C., Dwivedi, B.N., Almleaky, Y.M., Sweet, P.A.: The interpretation of density sensitive line diagnostics from inhomogeneous plasmas. II. Non-isothermal plasmas **249**, 277

Brown, S.F.: Loop ensemble models of solar active regions **249**, 243

Buchert, T., Mo, H.J.: Probing pencil beams in pancake models **249**, 307

Bujarrabal, V., see Cernicharo, J., et al. **249**, L27

Burgarella, D., Clampin, M., Paresce, F.: Observations of the inner core of the Southern Crab **249**, 199

Burkhart, C., Coupry, M.F.: The A and Am-Fm stars. I. The abundances of Li, Al, Si, and Fe **249**, 205

Buson, L.M., see Munari, U. **249**, 141

Cadmus Jr., R.R., see Little-Marenin, I.R., et al. **249**, 465

Calamai, G., see Di Giacomo, A., et al. **249**, 397

Carbonell, M., Ballester, J.L.: Search algorithm for weak periodicities in definite time intervals **249**, 295

Carrasco, L., see Recillas-Cruz, E., et al. **249**, 312

Casoli, F., Boissé, P., Combes, F., Dupraz, C.: Are H I-deficient galaxies of the Coma supercluster deficient in molecular gas? **249**, 359

Catalano, S., see Umana, G., et al. **249**, 217

Cernicharo, J., Bujarrabal, V., Lucas, R.: ^{29}SiO $v=1$ maser emission from evolved stars: pumping of ^{29}SiO by ^{28}SiO through infrared line overlaps **249**, L27

Ciotti, L.: Stellar systems following the $R^{1/m}$ luminosity law **249**, 99

Clampin, M., see Burgarella, D., et al. **249**, 199

Cline, D.B., see Yi-Tian Gao, et al. **249**, 1

Collin-Souffrin, S.: On the origin of the optical and UV continuum in active galactic nuclei **249**, 344

Combes, F., see Casoli, F., et al. **249**, 359

Coupry, M.F., see Burkhart, C. **249**, 205

Crawford, I.A., Barlow, M.J.: On the distance to M1–67 **249**, 518

Cruz-González, I., see Recillas-Cruz, E., et al. **249**, 312

Cunha, K., see Brown, J.A., et al. **249**, L13

Dall'Oglio, G., see Andreani, P., et al. **249**, 299

Dara, H.C., see Alissandrakis, C.E., et al. **249**, 533

de Boer, K.S., see Sagar, R., et al. **249**, L5

De Greve, J.P., see Vrancken, M., et al. **249**, 411

de Jager, C., see Achmad, L., et al. **249**, 192

del Olmo, A., see Masegosa, J., et al. **249**, 505

Di Giacomo, A., Richichi, A., Lisi, F., Calamai, G.: The angular diameter of R Leonis at 2.16 μm **249**, 397

Dietrich, M., see Kollatschny, W., et al. **249**, 57

Dorfi, E.A., Feuchtinger, M.U.: Nonlinear stellar pulsations. I. Numerical methods, basic physics, initial models and first results **249**, 417

Dünnebeil, G., see Hamann, W.-R., et al. **249**, 443

Dulk, G.A., see Melrose, D.B. **249**, 250

Author-Title Index

Aalto, S., Black, J.H., Johansson, L.E.B., Booth, R.S.: Large $^{12}CO/^{13}CO$ intensity ratios in luminous mergers **249**, 323

Achmad, L., de Jager, C., Nieuwenhuijzen, H.: Atmospheric model parameters and shock wave field for the supergiant alpha Carinae (F0Ib) **249**, 192

Alissandrakis, C.E., Dara, H.C., Koutchmy, S.: Study of small scale magnetic flux and the corresponding velocity pattern **249**, 533

Almleaky, Y.M., see Brown, J.C., et al. **249**, 277

Andreani, P., Dall'Oglio, G., Martinis, L., Piccirillo, L., Pizzo, L., Rossi, L., Venturino, C.: Are the intermediate-scale cosmic background radiation anisotropies constrained by thermal emission of a very cold dust? **249**, 299

Ansbacher, W., see Biémont, E., et al. **249**, 539

Arcoragi, J.-P., Langer, N., Arnould, M.: Neutron capture nucleosynthesis and the evolution of 15 and 30 $M_{\odot}$ mass-losing stars. II. The core carbon-burning phase **249**, 134

Arimoto, N., Jablonka, P.: Evolutionary method of population synthesis for bulge-disc systems: optical-infrared colour-magnitude relation of spiral galaxies **249**, 374

Arnould, M., see Arcoragi, J.-P., et al. **249**, 134

Baglin, A., see Schatzman, E. **249**, 125

Balcells, M.: Interpreting asymmetric line profiles in merger remnants **249**, L9

Ballester, J.L., see Carbonell, M. **249**, 295

Baptista, R., Steiner, J.E.: Accretion disk image reconstructions in V4140 Sgr (NSV 12615) **249**, 284

Barbuy, B., see Ortolani, S., et al. **249**, L31

Bard, A., see Holweger, H., et al. **249**, 545

Baring, M.G.: Signatures of magnetic photon splitting in gamma-ray burst spectra **249**, 581

Barlow, M.J., see Crawford, I.A. **249**, 518

Baudoux, M., see Biémont, E., et al. **249**, 539

Benson, P.J., see Little-Marenin, I.R., et al. **249**, 465

Berruyer, N.: Dust-driven winds. II. Are the grains the real cause of the motion? **249**, 181

Bianchi, L., Hutchings, J.B., Massey, P.: Stellar winds and UV extinction of OB stars in M 33 and M 31 **249**, 14

Bica, E., see Ortolani, S., et al. **249**, L31

Biémont, E., Baudoux, M., Kurucz, R.L., Ansbacher, W., Pinnington, E.H.: The solar abundance of iron: a "final" word! **249**, 539

Black, J.H., see Aalto, S., et al. **249**, 323

Blomme, R., see Hensberge, H., et al. **249**, 401

Boer, M., Hurley, K., Pizzichini, G., Gottardi, M.: New constraints on neutron star models of gamma-ray bursts. II. X-ray observations of three gamma-ray burst error boxes **249**, 118

Boissé, P., see Casoli, F., et al. **249**, 359

Booth, R.S., see Aalto, S., et al. **249**, 323

Borgeest, U., see Kollatschny, W., et al. **249**, 57

Brosch, N., Loinger, F.: Extragalactic dust. IV. NGC 7625 **249**, 327

Brown, J.A., Wallerstein, G., Cunha, K., Smith, V.V.: Oxygen and iron in Omega Centauri giants **249**, L13

Brown, J.C., Dwivedi, B.N., Almleaky, Y.M., Sweet, P.A.: The interpretation of density sensitive line diagnostics from inhomogeneous plasmas. II. Non-isothermal plasmas **249**, 277

Brown, S.F.: Loop ensemble models of solar active regions **249**, 243

Buchert, T., Mo, H.J.: Probing pencil beams in pancake models **249**, 307

Bujarrabal, V., see Cernicharo, J., et al. **249**, L27

Burgarella, D., Clampin, M., Paresce, F.: Observations of the inner core of the Southern Crab **249**, 199

Burkhart, C., Coupry, M.F.: The A and Am-Fm stars. I. The abundances of Li, Al, Si, and Fe **249**, 205

Buson, L.M., see Munari, U. **249**, 141

Cadmus Jr., R.R., see Little-Marenin, I.R., et al. **249**, 465

Calamai, G., see Di Giacomo, A., et al. **249**, 397

Carbonell, M., Ballester, J.L.: Search algorithm for weak periodicities in definite time intervals **249**, 295

Carrasco, L., see Recillas-Cruz, E., et al. **249**, 312

Casoli, F., Boissé, P., Combes, F., Dupraz, C.: Are H I-deficient galaxies of the Coma supercluster deficient in molecular gas? **249**, 359

Catalano, S., see Umana, G., et al. **249**, 217

Cernicharo, J., Bujarrabal, V., Lucas, R.: ^{29}SiO $v=1$ maser emission from evolved stars: pumping of ^{29}SiO by ^{28}SiO through infrared line overlaps **249**, L27

Ciotti, L.: Stellar systems following the $R^{1/m}$ luminosity law **249**, 99

Clampin, M., see Burgarella, D., et al. **249**, 199

Cline, D.B., see Yi-Tian Gao, et al. **249**, 1

Collin-Souffrin, S.: On the origin of the optical and UV continuum in active galactic nuclei **249**, 344

Combes, F., see Casoli, F., et al. **249**, 359

Coupry, M.F., see Burkhart, C. **249**, 205

Crawford, I.A., Barlow, M.J.: On the distance to M1–67 **249**, 518

Cruz-González, I., see Recillas-Cruz, E., et al. **249**, 312

Cunha, K., see Brown, J.A., et al. **249**, L13

Dall'Oglio, G., see Andreani, P., et al. **249**, 299

Dara, H.C., see Alissandrakis, C.E., et al. **249**, 533

de Boer, K.S., see Sagar, R., et al. **249**, L5

De Greve, J.P., see Vrancken, M., et al. **249**, 411

de Jager, C., see Achmad, L., et al. **249**, 192

del Olmo, A., see Masegosa, J., et al. **249**, 505

Di Giacomo, A., Richichi, A., Lisi, F., Calamai, G.: The angular diameter of R Leonis at 2.16 μm **249**, 397

Dietrich, M., see Kollatschny, W., et al. **249**, 57

Dorfi, E.A., Feuchtinger, M.U.: Nonlinear stellar pulsations. I. Numerical methods, basic physics, initial models and first results **249**, 417

Dünnebeil, G., see Hamann, W.-R., et al. **249**, 443

Dulk, G.A., see Melrose, D.B. **249**, 250

Dupraz, C., see Casoli, F., et al. **249**, 359
Dwivedi, B.N., see Brown, J.C., et al. **249**, 277
Eastman, W., see Padrielli, L., et al. **249**, 351
Eriksson, K., see Little-Marenin, I.R., et al. **249**, 465
Falomo, R., Tanzi, E.G., Treves, A.: A peculiar group of galaxies in the field of the BL Lacertae object H 0414+ **249**, 341
Farmer, C.B., see Geller, M., et al. **249**, 550
Feuchtinger, M.U., see Dorfi, E.A. **249**, 417
Fleming, T., see Pasquini, L., et al. **249**, L23
Froeschlé, Ch., Morbidelli, A., Scholl, H.: Complex dynamical behaviour of the asteroid 2335 James associated with the secular resonances ν_5 and ν_{16}: numerical studies and theoretical interpretation **249**, 553
Gallais, P., Rouan, D., Lacombe, F., Tiphène, D., Vauglin, I.: *Erratum:* The nuclear starburst activity in M 83: imaging at near-IR wavelengths **249**, 594
García Lario, P., Manchado, A., Riera, A., Mampaso, A., Pottasch, S.R.: IRAS 22568+6141: a new bipolar planetary nebula **249**, 223
Geller, M., Sauval, A.J., Grevesse, N., Farmer, C.B., Norton, R.H.: First identification of pure rotation lines of NH in the infrared solar spectrum **249**, 550
Goffin, E.: The orbit of 203 Pompeja and the mass of Ceres **249**, 563
González-Serrano, J.I., Pérez-Fournon, I.: CCD surface photometry of the low-luminosity radio galaxies containing radio jets B 2 0034+25 and B 2 0206+35 **249**, 75
Gottardi, M., see Boer, M., et al. **249**, 118
Gregorini, L., see Padrielli, L., et al. **249**, 351
Greidanus, H., Strom, R.G.: 20 μm observations of Cassiopeia A **249**, 521
Grevesse, N., see Geller, M., et al. **249**, 550
Grossmann-Doerth, U., Schüssler, M., Solanki, S.K.: The effect of non-linear oscillations in magnetic flux tubes on Stokes *V* asymmetry **249**, 239
Hamann, W.-R., Dünnebeil, G., Koesterke, L., Schmutz, W., Wessolowski, U.: Spectral analyses of Wolf-Rayet stars: hydrogen abundances in WN subtypes **249**, 443
Hanuschik, R.W., Schmidt-Kaler, T.H.: Absorption line velocities and the distance to Supernova 1987 A **249**, 36
Harjunpää, P., Liljeström, T., Mattila, K.: Molecular observations of a pair of dense cores in the dark cloud L1155 **249**, 493
Hasegawa, H., see Kozasa, T., et al. **249**, 474
Henkel, C., see Sage, L.J., et al. **249**, 31
Hensberge, H., Van Rensbergen, W., Blomme, R.: On the origin of the statistical correlation between rotation periods and apparent radii for CP 2 stars **249**, 401
Herbertz, R., Ungerechts, H., Winnewisser, G.: CO observations of fragmentation in dark clouds north of the California nebula NGC 1499 **249**, 483
Hiotelis, N., see Voglis, N., et al. **249**, 5
Höflich, P., see Müller, E., et al. **249**, L1
Höflich, P., see Voglis, N., et al. **249**, 5
Holweger, H., Bard, A., Kock, A., Kock, M.: A redetermination of the solar iron abundance based on new Fe I oscillator strengths **249**, 545
Hummel, E., Saikia, D.J.: The anomalous radio features in NGC 4388 and NGC 4438 **249**, 43
Hurley, K., see Boer, M., et al. **249**, 118
Hutchings, J.B., see Bianchi, L., et al. **249**, 14
Jablonka, P., see Arimoto, N. **249**, 374
Johansson, L.E.B., see Aalto, S., et al. **249**, 323
Johnson, H.R.: The outer layers of cool, non-Mira carbon stars **249**, 455
Kaastra, J.S.: The soft X-ray variability of NGC 5548 **249**, 70
Kataza, H., see Maihara, T. **249**, 392
Keller, H.U., see Thomas, N. **249**, 258
Khokhlov, A., see Müller, E., et al. **249**, L1
Knude, J.: δm_1, δc_1–$E(b–y)$ relations in a magnitude-limited complete sample of A and F stars at the north galactic pole **249**, 88
Kock, A., see Holweger, H., et al. **249**, 545
Kock, M., see Holweger, H., et al. **249**, 545
Koester, D., see Weidemann, V. **249**, 389
Koesterke, L., see Hamann, W.-R., et al. **249**, 443
Kollatschny, W., Dietrich, M., Borgeest, U., Schramm, K.-J.: AN 0248+43: a cold highly luminous FIR-galaxy with two non-thermal nuclei **249**, 57
Koutchmy, S., see Alissandrakis, C.E., et al. **249**, 533
Kozasa, T., Hasegawa, H., Nomoto, K.: Formation of dust grains in the ejecta of SN 1987 A. II **249**, 474
Kurucz, R.L., see Biémont, E., et al. **249**, 539
Lacombe, F., see Gallais, P., et al. **249**, 594
Langer, N., see Arcoragi, J.-P., et al. **249**, 134
Lasota, J.P., Pelat, D.: Variability of accretion discs around compact objects **249**, 574
Li, K.H., see Xie, G.Z., et al. **249**, 65
Liljeström, T., see Harjunpää, P., et al. **249**, 493
Lisi, F., see Di Giacomo, A., et al. **249**, 397
Little-Marenin, I.R., Benson, P.J., McConahay, M.M., Cadmus Jr., R.R., Stencel, R.E., Eriksson, K.: S Persei: optical and water maser variability – 1984 to 1990 **249**, 465
Liu, B.F., see Xie, G.Z., et al. **249**, 65
Liu, F.K., see Xie, G.Z., et al. **249**, 65
Loinger, F., see Brosch, N. **249**, 327
Lu, R.W., see Xie, G.Z., et al. **249**, 65
Lucas, R., see Cernicharo, J., et al. **249**, L27
Lustig, G., Wöhl, H.: The meridional motions of stable recurrent sunspots **249**, 528
Magazzù, A., Martín, E.L., Rebolo, R.: Lithium in the pre-main sequence triple system UX Tauri **249**, 149
Maihara, T., Kataza, H.: A study of the spatially-resolved T Tauri system **249**, 392
Maisack, M., Yaqoob, T.: A search for reflection features in the X-ray spectrum of NGC 4151 **249**, 25
Mampaso, A., see García Lario, P., et al. **249**, 223
Manara, A., Valsecchi, G.B.: Dynamics of comets in the outer planetary region. I. A numerical experiment **249**, 269
Manchado, A., see García Lario, P., et al. **249**, 223
Mantovani, F., see Padrielli, L., et al. **249**, 351
Martín, E.L., see Magazzù, A., et al. **249**, 149
Martinis, L., see Andreani, P., et al. **249**, 299
Masegosa, J., Moles, M., del Olmo, A.: Spatial inhomogeneities in giant extragalactic H II regions **249**, 505
Massey, P., see Bianchi, L., et al. **249**, 14
Mattila, K., see Harjunpää, P., et al. **249**, 493
Mauersberger, R., see Sage, L.J., et al. **249**, 31
McConahay, M.M., see Little-Marenin, I.R., et al. **249**, 465
Melrose, D.B., Dulk, G.A.: On the elliptical polarization of Jupiter's decametric radio emission **249**, 250
Mo, H.J., see Buchert, T. **249**, 307
Moles, M., see Masegosa, J., et al. **249**, 505
Morbidelli, A., see Froeschlé, Ch., et al. **249**, 553
Morris, D., see Truong-Bach, et al. **249**, 435
Morrison, L.V., see Taylor, D.B., et al. **249**, 569

Müller, E., Höflich, P., Khokhlov, A.: Type Ia supernovae: γ-rays as predicted by delayed detonation models and SN1991 T **249**, L1
Munari, U., Buson, L.M.: Studies of symbiotic stars. IV. IUE-optical-IR observations of AS 360 **249**, 141
Napiwotzki, R., Schönberner, D.: Spectroscopic investigation of old planetaries. II. Detection of a "hybrid"central star **249**, L16
Nguyen-Q-Rieu, see Truong-Bach, et al. **249**, 435
Nieuwenhuijzen, H., see Achmad, L., et al. **249**, 192
Nomoto, K., see Kozasa, T., et al. **249**, 474
Norci, L., see Rossi, C., et al. **249**, L19
Norton, R.H., see Geller, M., et al. **249**, 550
Ortolani, S., Barbuy, B., Bica, E.: Metal-rich globular clusters: giant branch morphology as a metallicity criterion **249**, L31
Padrielli, L., Eastman, W., Gregorini, L., Mantovani, F., Spangler, S.: VLBI structures of low frequency variable sources at 608 MHz **249**, 351
Paresce, F., see Burgarella, D., et al. **249**, 199
Pasquini, L., Fleming, T., Spite, F., Spite, M.: Evidence for strong activity in Population II binaries **249**, L23
Pelat, D., see Lasota, J.P. **249**, 574
Pérez-Fournon, I., see González-Serrano, J.I. **249**, 75
Piccirillo, L., see Andreani, P., et al. **249**, 299
Pinnington, E.H., see Biémont, E., et al. **249**, 539
Pizzichini, G., see Boer, M., et al. **249**, 118
Pizzo, L., see Andreani, P., et al. **249**, 299
Polcaro, V.F., see Rossi, C., et al. **249**, L19
Pottasch, S.R., see García Lario, P., et al. **249**, 223
Prinja, R.K., Schild, H.: The peculiar UV and optical spectrum of the LMC supergiant HD 269216 **249**, 428
Rapaport, M., see Taylor, D.B., et al. **249**, 569
Rebolo, R., see Magazzù, A., et al. **249**, 149
Recillas-Cruz, E., Carrasco, L., Serrano P.G., A., Cruz-González, I.: The manifold of early-type galaxies from IR photometry in clusters of galaxies. The Virgo cluster **249**, 312
Redfors, A.: Oscillator strengths for Y III and Zr III in the IUE region **249**, 589
Richichi, A., see Di Giacomo, A., et al. **249**, 397
Richtler, T., see Sagar, R., et al. **249**, L5
Riera, A., see García Lario, P., et al. **249**, 223
Rodonó, M., see Umana, G., et al. **249**, 217
Rossi, C., Norci, L., Polcaro, V.F.: Rapid line variability of BD+37°1160, a possible optical counterpart of the X-ray source 1H 0521+373 **249**, L19
Rossi, L., see Andreani, P., et al. **249**, 299
Rouan, D., see Gallais, P., et al. **249**, 594
Sagar, R., Richtler, T., de Boer, K.S.: Two distinct supergiant branches in the young Large Magellanic Cloud star cluster NGC 2214 **249**, L5
Sage, L.J., Mauersberger, R., Henkel, C.: Extragalactic $^{18}O/^{17}O$ ratios and star formation: High-mass stars preferred in starburst systems? **249**, 31
Saikia, D.J., see Hummel, E. **249**, 43
Sauval, A.J., see Geller, M., et al. **249**, 550
Schatzman, E., Baglin, A.: On the physics of lithium depletion **249**, 125
Schild, H., see Prinja, R.K. **249**, 428
Schmidt-Kaler, T.H., see Hanuschik, R.W. **249**, 36
Schmutz, W., see Hamann, W.-R., et al. **249**, 443
Schönberner, D., see Napiwotzki, R. **249**, L16
Scholl, H., see Froeschlé, Ch., et al. **249**, 553
Schramm, K.-J., see Kollatschny, W., et al. **249**, 57
Schüssler, M., see Grossmann-Doerth, U., et al. **249**, 239
Schwarz, U.J., see Wakker, B.P., et al. **249**, 233
Serrano P.G., A., see Recillas-Cruz, E., et al. **249**, 312
Smith, V.V., see Brown, J.A., et al. **249**, L13
Solanki, S.K., see Grossmann-Doerth, U., et al. **249**, 239
Spangler, S., see Padrielli, L., et al. **249**, 351
Spite, F., see Pasquini, L., et al. **249**, L23
Spite, M., see Pasquini, L., et al. **249**, L23
Stecker, F.W., see Yi-Tian Gao, et al. **249**, 1
Steiner, J.E., see Baptista, R. **249**, 284
Stencel, R.E., see Little-Marenin, I.R., et al. **249**, 465
Strom, R.G., see Greidanus, H. **249**, 521
Sweet, P.A., see Brown, J.C., et al. **249**, 277
Tanzi, E.G., see Falomo, R., et al. **249**, 341
Taylor, D.B., Morrison, L.V., Rapaport, M.: Saturn's position derived from meridian circle observations of Titan and Iapetus **249**, 569
Thomas, N., Keller, H.U.: Comet P/Halley's dust production rate at Giotto encounter derived from Halley Multicolour Camera observations **249**, 258
Tiphène, D., see Gallais, P., et al. **249**, 594
Treves, A., see Falomo, R., et al. **249**, 341
Truong-Bach, Morris, D., Nguyen-Q-Rieu: CO ($J=1-0$ and $2-1$) mapping of IRC+10216: a hot core model for the gas kinetic temperature distribution and the mass-loss rate **249**, 435
Trussoni, E., see Tsinganos, K. **249**, 156
Tsinganos, K., Trussoni, E.: Analytical studies of collimated winds. II. Topologies of 2-D helicoidal MHD solutions **249**, 156
Tutukov, A., see Vrancken, M., et al. **249**, 411
Umana, G., Catalano, S., Rodonó, M.: A microwave survey of selected Algol systems with the VLA **249**, 217
Ungerechts, H., see Herbertz, R., et al. **249**, 483
Valsecchi, G.B., see Manara, A. **249**, 269
Van Rensbergen, W., see Hensberge, H., et al. **249**, 401
Vauglin, I., see Gallais, P., et al. **249**, 594
Venturino, C., see Andreani, P., et al. **249**, 299
Vijfschaft, B., see Wakker, B.P., et al. **249**, 233
Vogel, M.: Empirical velocity laws for cool giants. I. The symbiotic binary EG Andromedae **249**, 173
Voglis, N., Hiotelis, N., Höflich, P.: Dissipationless galaxy formation from non-isolated density perturbations **249**, 5
Vrancken, M., De Greve, J.P., Yungelson, L., Tutukov, A.: On the formation of WR+WR binaries **249**, 411
Wakker, B.P., Vijfschaft, B., Schwarz, U.J.: The spin temperature of HVC 131+1–200 **249**, 233
Wallerstein, G., see Brown, J.A., et al. **249**, L13
Wallinder, F.H.: The stability of slim accretion disks **249**, 107
Weidemann, V., Koester, D.: Trace hydrogen in DB white dwarfs: GD408 – the lowest H abundance case **249**, 389
Wessolowski, U., see Hamann, W.-R., et al. **249**, 443
Winnewisser, G., see Herbertz, R., et al. **249**, 483
Wöhl, H., see Lustig, G. **249**, 528
Xie, G.Z., Liu, F.K., Liu, B.F., Lu, R.W., Li, K.H., Zhu, Y.Y.: The beaming model and Hubble diagram of BL Lacertae objects **249**, 65
Yaqoob, T., see Maisack, M. **249**, 25
Yi-Tian Gao, Stecker, F.W., Cline, D.B.: The lightest supersymmetric particle and the extragalactic γ-ray background **249**, 1
Yungelson, L., see Vrancken, M., et al. **249**, 411
Zhu, Y.Y., see Xie, G.Z., et al. **249**, 65